DRAFT

Grade 5 Mathematics Item Specifications



The draft Florida Standards Assessments (FSA) *Test Item Specifications* (*Specifications*) are based upon the Florida Standards and the Florida Course Descriptions as provided in <u>CPALMs</u>. The *Specifications* are a resource that defines the content and format of the test and test items for item writers and reviewers. Each grade-level and course *Specifications* document indicates the alignment of items with the Florida Standards. It also serves to provide all stakeholders with information about the scope and function of the FSA.

Item Specifications Definitions

Also assesses refers to standard(s) closely related to the primary standard statement.

Clarification statements explain what students are expected to do when responding to the question.

Assessment limits define the range of content knowledge and degree of difficulty that should be assessed in the assessment items for the standard.

Item types describe the characteristics of the question.

Context defines types of stimulus materials that can be used in the assessment items.

- **Context Allowable** refers to items that may but are not required to have context.
- Context No context refers to items that should not have context.
- Context Required refers to items that must have context.

Item Descriptions:

The Florida Standards Assessments (FSA) are composed of test items that include traditional multiple-choice items and other item types that may be scanned and scored electronically.

Currently, there are six types of items that may appear on paper-based assessments for FSA Mathematics.

Any of the item types may be combined into a single item with multiple parts called a multiinteraction item. For paper-based assessments, the student will interact with the same item type within a single item.

For samples of each of the item types described below, see the FSA Practice Tests.

<u>Paper-Based Item Types - Mathematics</u>

- **1.** <u>Multiple Choice</u> The student is directed to select the one correct response from among four options.
- 2. <u>Multiselect</u> The student is directed to select all of the correct answers from among a number of options. These items are different from Multiple Choice items, which prompt the student to select only one correct answer.
- **3.** <u>Editing Task Choice</u> The student fills in a bubble to indicate the correct number, word, or phrase that should replace a blank or a highlighted number, word, or phrase.
- **4.** <u>Selectable Hot Text</u> Excerpted sentences from the text are presented in this item type. The student fills in bubbles to indicate which sentences are correct.
- **5.** <u>Equation Editor</u> The student fills in bubbles indicating numbers and mathematical symbols to create a response. Students respond in response grids in which they write their answer in the boxes at the top of the grid, then fill in the corresponding bubble underneath each box.
- **6.** <u>Matching Item</u> This item type presents options in columns and rows. The student is directed to fill in a bubble that matches a correct option from a column with a correct option from a row.

Mathematical Practices:

The Mathematical Practices are a part of each course description for Grades 3-8, Algebra 1, and Geometry. These practices are an important part of the curriculum. The Mathematical Practices will be assessed throughout.

Make sense of problems and persevere in solving them.

Mathematically proficient students start by explaining to themselves the meaning of a problem and looking for entry points to its solution. They analyze givens, constraints, relationships, and goals. They make conjectures about the form and meaning of the solution and plan a solution pathway rather than simply jumping into a solution attempt. They consider analogous problems, and try special cases and simpler forms of the original problem in order to gain insight into its solution. They monitor and evaluate their progress and change course if necessary. Older students might, depending on the context of the problem, transform algebraic expressions or change the viewing window on their graphing calculator to get the information they need. Mathematically proficient students can explain correspondences between equations, verbal descriptions, tables, and graphs or draw diagrams of important features and relationships, graph data, and search for regularity or trends. Younger students might rely on using concrete objects or pictures to help conceptualize and solve a problem. Mathematically proficient students check their answers to problems using a different method, and they continually ask themselves, "Does this make sense?" They can understand the approaches of others to solving complex problems and identify correspondences between different approaches.

MAFS.K12.MP.1.1:

Reason abstractly and quantitatively.

MAFS.K12.MP.2.1:

Mathematically proficient students make sense of quantities and their relationships in problem situations. They bring two complementary abilities to bear on problems involving quantitative relationships: the ability to decontextualize—to abstract a given situation and represent it symbolically and manipulate the representing symbols as if they have a life of their own, without necessarily attending to their referents—and the ability to contextualize, to pause as needed during the manipulation process in order to probe into the referents for the symbols involved. Quantitative reasoning entails habits of creating a coherent representation of the problem at hand; considering the units involved; attending to the meaning of quantities, not just how to compute them; and knowing and flexibly using different properties of operations and objects.

Construct viable arguments and critique the reasoning of others.

Mathematically proficient students understand and use stated assumptions, definitions, and previously established results in constructing arguments. They make conjectures and build a logical progression of statements to explore the truth of their conjectures. They are able to analyze situations by breaking them into cases, and can recognize and use counterexamples. They justify their conclusions, communicate them to others, and respond to the arguments of others. They reason inductively about data, making plausible arguments that take into account the context from which the data arose. Mathematically proficient students are also able to compare the effectiveness of two plausible arguments, distinguish correct logic or reasoning from that which is flawed, and—if there is a flaw in an argument—explain what it is. Elementary students can construct arguments using concrete referents such as objects, drawings, diagrams, and actions. Such arguments can make sense and be correct, even though they are not generalized or made formal until later grades. Later, students learn to determine domains to which an argument applies. Students at all grades can listen or read the arguments of others, decide whether they make sense, and ask useful questions to clarify or improve the arguments.

MAFS.K12.MP.3.1:

Model with mathematics.

MAFS.K12.MP.4.1:

Mathematically proficient students can apply the mathematics they know to solve problems arising in everyday life, society, and the workplace. In early grades, this might be as simple as writing an addition equation to describe a situation. In middle grades, a student might apply proportional reasoning to plan a school event or analyze a problem in the community. By high school, a student might use geometry to solve a design problem or use a function to describe how one quantity of interest depends on another. Mathematically proficient students who can apply what they know are comfortable making assumptions and approximations to simplify a complicated situation, realizing that these may need revision later. They are able to identify important quantities in a practical situation and map their relationships using such tools as diagrams, twoway tables, graphs, flowcharts and formulas. They can analyze those relationships mathematically to draw conclusions. They routinely interpret their mathematical results in the context of the situation and reflect on whether the results make sense, possibly improving the model if it has not served its purpose.

Use appropriate tools strategically.

Mathematically proficient students consider the available tools when solving a mathematical problem. These tools might include pencil and paper, concrete models, a ruler, a protractor, a calculator, a spreadsheet, a computer algebra system, a statistical package, or dynamic geometry software. Proficient students are sufficiently familiar with tools appropriate for their grade or course to make sound decisions about when each of these tools might be helpful, recognizing both the insight to be gained and their limitations. For example, mathematically proficient high school students analyze graphs of functions and solutions generated using a graphing calculator. They detect possible errors by strategically using estimation and other mathematical knowledge. When making mathematical models, they know that technology can enable them to visualize the results of varying assumptions, explore consequences, and compare predictions with data. Mathematically proficient students at various grade levels are able to identify relevant external mathematical resources, such as digital content located on a website, and use them to pose or solve problems. They are able to use technological tools to explore and deepen their understanding of concepts.

MAFS.K12.MP.5.1:

Attend to precision.

MAFS.K12.MP.6.1:

Mathematically proficient students try to communicate precisely to others. They try to use clear definitions in discussion with others and in their own reasoning. They state the meaning of the symbols they choose, including using the equal sign consistently and appropriately. They are careful about specifying units of measure, and labeling axes to clarify the correspondence with quantities in a problem. They calculate accurately and efficiently, express numerical answers with a degree of precision appropriate for the problem context. In the elementary grades, students give carefully formulated explanations to each other. By the time they reach high school they have learned to examine claims and make explicit use of definitions.

Look for and make use of structure.

Mathematically proficient students look closely to discern a pattern or structure. Young students, for example, might notice that three and seven more is the same amount as seven and three more, or they may sort a collection of shapes according to how many sides the shapes have. Later, students will see 7×8 equals the well remembered $7 \times 5 + 7 \times 3$, in preparation for learning about the distributive property. In the expression $x^2 + 9x + 14$, older students can see the 14 as 2×7 and the 9 as 2 + 7. They recognize the significance of an existing line in a geometric figure and can use the strategy of drawing an auxiliary line for solving problems. They also can step back for an overview and shift perspective. They can see complicated things, such as some algebraic expressions, as single objects or as being composed of several objects. For example, they can see $5 - 3(x - y)^2$ as 5 minus a positive number times a square and use that to realize that its value cannot be more than 5 for any real numbers x and y.

Look for and express regularity in repeated reasoning.

Mathematically proficient students notice if calculations are repeated, and look both for general methods and for shortcuts. Upper elementary students might notice when dividing 25 by 11 that they are repeating the same calculations over and over again, and conclude they have a repeating decimal. By paying attention to the calculation of slope as they repeatedly check whether points are on the line through (1, 2) with slope 3, middle school students might abstract the equation (y-2)/(x-1)=3. Noticing the regularity in the way terms cancel when expanding (x-1)(x+1), $(x-1)(x^2+x+1)$, and $(x-1)(x^3+x^2+x+1)$ might lead them to the general formula for the sum of a geometric series. As they work to solve a problem, mathematically proficient students maintain oversight of the process, while attending to the details. They continually evaluate the reasonableness of their intermediate results.

MAFS.K12.MP.7.1:

MAFS.K12.MP.8.1:

Reference Sheets:

- Reference sheets will be available as online references (in a pop-up window). A paper version will be available for paper-based tests.
- Reference sheets with conversions will be provided for FSA Mathematics assessments in Grades 4–8 and EOC Mathematics assessments.
- There is no reference sheet for Grade 3.
- For Grades 4, 6, 7, and Geometry, some formulas will be provided on the reference sheet.
- For Grade 5 and Algebra 1, some formulas may be included with the test item if needed to meet the intent of the standard being assessed.
- For Grade 8, no formulas will be provided; however, conversions will be available on a reference sheet.

Grade	Conversions	Some Formulas	
3	No	No	
4	On Reference Sheet	On Reference Sheet	
5	On Reference Sheet	With Item	
6	On Reference Sheet	On Reference Sheet	
7	On Reference Sheet	On Reference Sheet	
8	On Reference Sheet	No	
Algebra 1	On Reference Sheet	With Item	
Geometry	On Reference Sheet	On Reference Sheet	

Content Standard	MAFS.5.OA Operations and Algebraic Thinking			
	MAFS.5.OA.1 Write and interpret numerical expressions.			
	MAFS.5.OA.1.1 Use parentheses, brackets, or braces in numeric and evaluate expressions with these symbols.	cal expressions,		
Assessment Limits	Expressions may contain whole numbers and up to one fractio denominator of 10 or less. Items may not require division with fractions.	n with a		
Calculator	Items may not contain nested grouping symbols. No			
Context	No context			
Sample Item		Item Type		
What is the value of	f the expression $\frac{1}{2}$ x (4 + 6) + 9?	Equation Editor		
A numerical express	sion is evaluated as shown.	Multiple Choice		
$\frac{1}{2}$ x (6 x 1 + 7) + 11				
Step 1: $\frac{1}{2}$ x (6 x 8) + 11				
Step 2: $\frac{1}{2}$ x 48 + 11				
Step 3: 24 + 11	Step 3: 24 + 11			
Step 4: 35				
In which step does a mistake first appear?				
A. Step 1 B. Step 2 C. Step 3 D. Step 4				
See Appendix A for	See Appendix A for the Practice Test item aligned to this standard.			

Content Standard	MAFS.5.OA Operations and Algebraic Thinking		
	MAFS.5.OA.1 Write and interpret numerical expressions.		
	MAFS.5.OA.1.2 Write simple expressions that record calculations with numbers, and interpret numerical expressions without evaluating them. For example, express the calculation "add 8 and 7, then multiply by 2" as $2 \times (8 + 7)$. Recognize that $3 \times (18932 + 921)$ is three times as large as $18932 + 921$, without having to calculate the indicated sum or product.		
Assessment Limits	Expressions may contain whole numbers or fractions with a denominator of 10 or less. Expressions may not include nested parentheses. Multiplication cross symbol is the only acceptable symbol for multiplication. The multiplication dot (•) may not be used. When grouping symbols are part of the expression, the associative property or distributive property must be found in the expression.		
Calculator	No		
Context	No context		
Sample Item		Item Type	
Which expression co	Which expression could represent the following phrase?		
Divide 10 by 2, then	subtract 3.		
A. $2 \div 10 - 3$			
B. $2 \div (10 - 3)$			
C. 10 ÷ 2 – 3			
D. 10 ÷ (2 – 3)			
Which statement describes the expression $18 + \frac{1}{2}x(9-4)$? Multiple Choice			
A. Half the difference of 4 from 9 added to 18			
B. Subtract half the quantity of 9 and 4 from 18			
C. The sum of 18 and half the product of 9 and 4			
D. Half of 9 added to 18 minus 4			
See Appendix A for the Practice Test item aligned to this standard.			

Content Standard	MAFS.5.OA Operations and Algebraic Thinking			
	MAFS.5.OA.2 Analyze patterns and relationships.			
	MAFS.5.OA.2.3 Generate two numerical patterns using two given rules. Identify apparent relationships between corresponding terms. Form ordered pairs consisting of corresponding terms from the two patterns, and graph the ordered pairs on a coordinate plane. For example, given the rule "Add 3" and the starting number 0, and given the rule "Add 6" and the starting number 0, generate terms in the resulting sequences, and observe that the terms in one sequence are twice the corresponding terms in the other sequence. Explain informally why this is so.			
Assessment Limits	Expressions may contain whole numbers or fractions with a denominator of 10 or less. Ordered pairs many only be located within Quadrant I of the coordinate plane. Operations in rules limited to: addition, subtraction, multiplication, and division. Patterns that require division may not lead to fractional terms. Items may not contain rules that exceed two procedural operations. Items must provide the rule.			
	Expressions may not include nested parentheses.			
Calculator Context	No Allowable			
Sample Item	Allowable	Item Type		
•	Michael and John are creating patterns.			
 Michael uses the rule "multiply by 2" and starts at 5. John uses the rule "add 8" and starts at 16. 				
	What is the first number in Michael's pattern that also appears in John's pattern?			
See Appendix A for the Practice Test item aligned to this standard.				

Content Standard	MAFS.5.NBT Number and Operations in Base Ten	
	MAFS.5.NBT.1 Understand the place value system.	
	MAFS.5.NBT.1.1 Recognize that in a multi-digit number, a digit represents 10 times as much as it represents in the place to its what it represents in the place to its left.	· 1
Assessment Limit	Items may require a comparison of the values of digits across values, including whole numbers and decimals from million	
Calculator	No	
Context	Allowable	
Sample Item		Item Type
What is the missing	value in the equation shown?	Equation Editor
What is the value of $0.34 \times \square = 3.4$	f the missing number in the following equation?	Multiple Choice
A. 10		
B. 100		
C. $\frac{1}{10}$		
D. $\frac{1}{100}$		
How many times th	e value of 0.034 is the value of 0.34?	Equation Editor
See Appendix A for	the Practice Test item aligned to this standard.	

Content Standard	MAFS.5.NBT Number and Operations in Base Ten			
	MAFS.5.NBT.1 Understand the place value system.			
	MAFS.5.NBT.1.2 Explain patterns in the number of zeros of the multiplying a number by powers of 10, and explain patterns the decimal point when a decimal is multiplied or divided by whole-number exponents to denote powers of 10.	in the placement of		
Assessment Limits	Items may contain whole number and decimal place values f thousandths. Items may contain whole number exponents with bases of 1			
Calculator	No			
Context	No context			
Sample Item		Item Type		
What is 0.523 x 10 ²	?	Equation Editor		
What is the value o	f the missing exponent in the equation $523 \div 10^{\square} = 523$?	Equation Editor		
Which statement is	Which statement is equivalent to multiplying a number by 10 ³ ? Multiple Choice			
A. adding 10 three	times			
B. adding 3 ten tin	nes			
C. multiplying by 1	.0 three times			
D. multiplying by 3	B ten times			
When dividing a nu	When dividing a number by 10 ³ , how is the decimal point moved? Multiple Choice			
A. 3 places to the right				
B. 3 places to the left				
C. 4 places to the right				
D. 4 places to the l	left			
See Appendix A for the Practice Test item aligned to this standard.				

Content Standard	MAFS.5.NBT Numbe	r and O	peration	ns in Bas	se Ten	
	MAFS.5.NBT.1 Understand the place value system.					
	MAFS.5.NBT.1.3 Read	MAFS.5.NBT.1.3 Read, write, and compare decimals to thousandths.				
	MAFS.5.NBT.1.3a Read and write decimals to thousandths using base-ten numerals, number names, and expanded form, e.g., $347.392 = 3 \times 100 + 4 \times 10 + 7 \times 1 + 3 \times \left(\frac{1}{10}\right) + 9 \times \left(\frac{1}{100}\right) + 2 \times \left(\frac{1}{1,000}\right)$.					
	MAFS.5.NBT.1.3b Con the digits in each pla comparisons.	-				_
Assessment Limit	Items may contain d the millions.	ecimals	to the t	housand	dths with the gre	eatest place value to
Calculator	No					
Context	Allowable					
Sample Item						Item Type
What is "two hundr	ed sixty-five thousand	lths" in	decimal	form?		Multiple Choice
A. 260.005 B. 265.0 C. 0.265 D. 2.65						
Fill in circles to selec	ct the decimal form fo	r each r	number	name.		Matching Item
			ı			
		0.650	0.605	0.065	6.050	
Sixty-five	thousandths	A	B	©	D	
Six hundr	red five thousandths	Ē	F	G	Θ	
A number in expand	led form is shown.					Equation Editor
$3 \times 1 + 2 \times \left(\frac{1}{10}\right) + 6$	$x\left(\frac{1}{100}\right) + 5 x\left(\frac{1}{1,000}\right)$					
What is the number	in decimal form?					

Sample Item Type		
Select all the expressions that show 2.059 written in expanded form.	Multiselect	
A. $2 \times 1 + 0 \times \left(\frac{1}{10}\right) + 5 \times \left(\frac{1}{100}\right) + 9 \times \left(\frac{1}{1,000}\right)$ B. $2 \times 1 + 5 \times \left(\frac{1}{10}\right) + 9 \times \left(\frac{1}{100}\right)$		
C. $2 \times 1 + 0 \times \left(\frac{1}{10}\right) + 59 \times \left(\frac{1}{1,000}\right)$		
D. $20 \times \left(\frac{1}{10}\right) + 59 \times \left(\frac{1}{100}\right)$		
E. $20 \times \left(\frac{1}{10}\right) + 5 \times \left(\frac{1}{100}\right) + 9 \times \left(\frac{1}{1,000}\right)$		

See Appendix A for the Practice Test item aligned to a standard in this group.

Content Standard	MAFS.5.NBT Number and Operations in Base Ten		
	MAFS.5.NBT.1 Understand the place value system.		
	MAFS.5.NBT.1.4 Use place value understanding to round decima	als to any place.	
Assessment Limits	Items may contain decimals to the thousandths with the greate the millions.	est place value to	
	The least place value a decimal may be rounded to is the hundr	edths place.	
Calculator	No		
Context	Allowable		
Sample Item		Item Type	
Select all the number	ers that round to 4.3 when rounded to the nearest tenth.	Multiselect	
A. 4.25			
B. 4.24			
C. 4.31			
D. 4.352			
E. 4.219			
F. 4.305			
What is 3.149 rounded to the nearest hundredth? Equation Editor			
See Appendix A for the Practice Test item aligned to this standard.			

Content Standard	MAFS.5.NBT Number and Operations in Base Ten	
	MAFS.5.NBT.2 Perform operations with multi-digit whole number decimals to hundredths.	pers and with
	MAFS.5.NBT.2.5 Fluently multiply multi-digit whole numbers us algorithm.	ing the standard
Assessment Limit	Multiplication may not exceed five digits by two digits.	
Calculator	No	
Context	Allowable	
Sample Item		Item Type
Multiply:		Equation Editor
423		
<u>x 79</u>		
See Appendix A for the Practice Test item aligned to this standard.		

Content Standard	MAFS.5.NBT Number and Operations in Base Ten	
	MAFS.5.NBT.2 Perform operations with multi-digit whole number decimals to hundredths.	bers and with
	MAFS.5.NBT.2.6 Find whole-number quotients of whole number digit dividends and two-digit divisors, using strategies based or properties of operations, and/or the relationship between muldivision. Illustrate and explain the calculation by using equation arrays, and/or area models.	n place value, the tiplication and
Assessment Limit	Division may not exceed four digits by two digits.	
Calculator	No	
Context	Allowable	
Sample Item		Item Type
Select all the expres	ssions that have a value of 34.	Multiselect
A. 340 ÷ 16 B. 380 ÷ 13 C. 408 ÷ 12 D. 510 ÷ 15 E. 680 ÷ 24		
See Appendix A for the Practice Test item aligned to this standard.		

Content Standard	MAFS.5.NBT Number and Operations in Base Ten		
	MAFS.5.NBT.2 Perform operations with multi-digit whole numbers and with decimals to hundredths.		
	MAFS.5.NBT.2.7 Add, subtract, multiply, and divide decimals to concrete models or drawings and strategies based on place va operations, and/or the relationship between addition and substrategy to a written method and explain the reasoning used.	lue, properties of	
Assessment Limits	Items may only use factors that result in decimal solutions to t place (e.g., multiplying tenths by hundredths). Items may not include multiple different operations within the (e.g., 21 + 0.34 x 8.55). Expressions may have up to two procedural steps of the same	same expression	
Calculator	No		
Context	Allowable		
Sample Item		Item Type	
What is the value of 5.2 x 10.38	the expression?	Equation Editor	
An expression is shown. Equation Edit			
12.25 + 3.05 + 0.6			
What is the value of the expression?			
See Appendix A for the Practice Test item aligned to this standard.			

Content Standard	MAFS.5.NF Numbers and Operations – Fractions	
	MAFS.5.NF.1 Use equivalent fractions as a strategy to add and subtract fractions.	
	MAFS.5.NF.1.1 Add and subtract fractions with unlike denominal mixed numbers) by replacing given fractions with equivalent fractions as to produce an equivalent sum or difference of fractions denominators. For example, $\frac{2}{3} + \frac{5}{4} = \frac{8}{12} + \frac{15}{12} = \frac{23}{12}$. (In general, $\frac{6}{12}$)	actions in such a with like
Assessment Limits	Fractions greater than 1 and mixed numbers may be included. Expressions may have up to three terms. Least common denominator is not necessary to calculate sums or differences of fractions. Items may not use the terms "simplify" or "lowest terms." For given fractions in items, denominators are limited to 1-20. Items may require the use of equivalent fractions to find a missing term or part of a term.	
Calculator	No	
Context	No context	
Sample Item		Item Type
What is the value of	the expression?	Multiple Choice
$\frac{5}{6} + \frac{8}{12}$		
A. $\frac{9}{12}$		
B. $\frac{13}{18}$		
C. $\frac{18}{12}$		
D. $\frac{13}{24}$		
What is the value of the expression $6\frac{1}{3} - 4\frac{3}{4}$?		Equation Editor
See Appendix A for the Practice Test item aligned to this standard.		

Content Standard	MAFS.5.NF Number and Operations - Fractions	
	MAFS.5.NF.1 Use equivalent fractions as a strategy to add and subtract fractions.	
	MAFS.5.NF.1.2 Solve word problems involving addition and subt fractions referring to the same whole, including cases of unlike e.g., by using visual fraction models or equations to represent the benchmark fractions and number sense of fractions to estimate assess the reasonableness of answers. For example, recognize of $\frac{2}{5} + \frac{1}{2} = \frac{3}{7}$, by observing that $\frac{3}{7} < \frac{1}{2}$.	denominators, the problem. Use e mentally and
Assessment Limits	Fractions greater than 1 and mixed numbers may be included. Expressions may have up to three terms. Least common denominator is not necessary to calculate sums or differences of fractions. Items may not use the terms "simplify" or "lowest terms." For given fractions in items, denominators are limited to 1-20. Items may require the use of equivalent fractions to find a missing term or part of a term.	
Calculator	No	
Context	Required	
Sample Item		Item Type
John and Sue are ba	sking cookies. The recipe lists $\frac{3}{4}$ cup of flour. They only have $\frac{3}{8}$	Equation Editor
cup of flour left.	4 0	
How many more cups of flour do they need to bake the cookies?		
Javon, Sam, and Antoine are baking cookies. Javon has $\frac{1}{2}$ cup of flour, Sam has $1\frac{1}{6}$		Equation Editor
	ntoine has $1\frac{3}{4}$ cups of flour.	
How many cups of f	lour do they have altogether?	

Sample Item	Item Type
Richard and Gianni each bought a pizza. The pizzas are the same size.	Multiple Choice
Richard cut his pizza into 12 slices.	
 Gianni cut his pizza into 6 slices, and ate 2 slices. 	
• Together, Richard and Gianni ate $\frac{9}{12}$ of one pizza.	
How many slices of his pizza did Richard eat?	
A. 3	
B. 5	
C. 6	
D. 7	
See Appendix A for the Practice Test item aligned to this standard.	

Content Standard	MAFS.5.NF Numbers and Operations – Fractions	
	MAFS.5.NF.2 Apply and extend previous understandings of mul division to multiply and divide fractions.	tiplication and
	MAFS.5.NF.2.3 Interpret a fraction as division of the numerator denominator $\left(\frac{a}{b}=a\div b\right)$. Solve word problems involving divis numbers leading to answers in the form of fractions or mixed nusing visual fraction models or equations to represent the probinterpret $\frac{3}{4}$ as the result of dividing 3 by 4, noting that $\frac{3}{4}$ multiplicand that when 3 wholes are shared equally among 4 people each share of size $\frac{3}{4}$. If 9 people want to share a 50-pound sack of rice weight, how many pounds of rice should each person get? Between the share a solution of the numbers does your answer lie?	ion of whole numbers, e.g., by allem. For example, ed by 4 equals 3, and person has a e equally by ween what two
Assessment Limits	Quotients in division items may not be equivalent to a whole number. Items may contain fractions greater than 1. Items may not use the terms "simplify" or "lowest terms." Only use whole numbers for the divisor and dividend of a fraction. For given fractions in items, denominators are limited to 1-20.	
Calculator	No	
Context	Allowable	
Sample Item		Item Type
Which expression is	equivalent to $\frac{8}{15}$?	Multiple Choice
A. 8-15 B. 15-8 C. 8÷15 D. 15÷8		
Joe has a board that pieces.	t is 6 feet long. He needs to cut the board into 15 equal-length	Equation Editor
How many feet long should each piece of the board be?		
See Appendix A for the Practice Test item aligned to this standard.		

Content Standard	MAES E NE Number and Operations - Fractions
Content Standard	MAFS.5.NF Number and Operations – Fractions
	MAFS.5.NF.2 Apply and extend previous understanding of multiplication and division to multiply and divide fractions.
	MAFS.5.NF.2.4 Apply and extend previous understandings of multiplication to multiply a fraction or whole number by a fraction.
	MAFS.5.NF.2.4a Interpret the product $\left(\frac{a}{b}\right) \times q$ as a parts of a partition of q into b equal parts; equivalently, as the result of a sequence of operations $a \times q \div b$. For example, use a visual fraction model to show $\left(\frac{2}{3}\right) \times 4 = \frac{8}{3}$, and create a story context for this equation. Do the same with $\left(\frac{2}{3}\right) \times \left(\frac{4}{5}\right) = \frac{8}{15}$. (In general, $\left(\frac{a}{b}\right) \times \left(\frac{c}{d}\right) = \frac{ac}{bd}$).
	MAFS.5.NF.2.4b Find the area of a rectangle with fractional side lengths by tiling it with unit squares of the appropriate unit fraction side lengths, and show that the area is the same as would be found by multiplying the side lengths. Multiply fractional side lengths to find areas of rectangles, and represent fraction products as rectangular areas.
	Also Assesses:
	MAFS.5.NF.2.6 Solve real-world problems involving multiplication of fractions and mixed numbers, e.g., by using visual fraction models or equations to represent the problem.
Assessment Limits	 Visual models may include: Any appropriate fraction model (e.g., circles, tape diagrams, polygons, etc.) Rectangle models tiled with unit squares For tiling, the dimensions of the tile must be unit fractions with the same
	denominator as the given rectangular shape. Items may not use the terms "simplify" or "lowest terms."
	Items may require students to interpret the context to determine operations. Fractions may be greater than 1.
	For given fractions in items, denominators are limited to 1-20.
Calculator	No
Context	Allowable for MAFS.5.NF.2.4; Required for MAFS.5.NF.2.6

Sample Item	Item Type
Which expression is equivalent to $\frac{3}{8} \times \frac{4}{9}$?	Multiple Choice
A. $\frac{12}{72}$	
B. $\frac{7}{17}$	
C. $\frac{12}{17}$	
D. $\frac{7}{72}$	
Roger has $2\frac{3}{4}$ gallons of water in a jug. He pours $\frac{5}{8}$ of the water into a new container.	Equation Editor
How many gallons of water does Roger have left in the jug?	
Courtney has 4 gallons of milk. She uses $\frac{1}{2}$ of the milk to make hot chocolate.	Equation Editor
Then, she uses $\frac{2}{3}$ of the remaining milk to make cookies.	
How many gallons of milk does Courtney have left after making hot chocolate and cookies?	
See Appendix A for the Practice Test item aligned to a standard in this group.	'

Content Standard	MAFS.5.NF Number and Operations — Fractions	
	MAFS.5.NF.2 Apply and extend previous understandings of multiplication and division to multiply and divide fractions.	
	MAFS.5.NF.2.5 Interpret multiplication as scaling (resizing), by:	
	MAFS.5.NF.2.5a Comparing the size of a product to the size of one factor on the basis of the size of the other factor, without performing the indicated multiplication.	
	MAFS.5.NF.2.5b Explaining why multiplying a given number by a than 1 results in a product greater than the given number (recomultiplication by whole numbers greater than 1 as a familiar calcable why multiplying a given number by a fraction less than 1 results smaller than the given number; and relating the principle of fraction $\frac{a}{b} = \frac{(n \times a)}{(n \times b)}$ to the effect of multiplying $\frac{a}{b}$ by 1.	gnizing se); explaining s in a product
Assessment Limits	For given fractions in items, denominators are limited to 1-20. Non-fraction factors in items must be greater than 1,000. Scaling geometric figures may not be assessed. Scaling quantition two dimensions is beyond the scope of this standard.	es of any kind in
Calculator	No	
Context	Allowable	
Sample Item		Item Type
Two newspapers ar	e comparing sales from last year.	Multiple Choice
• The Post so	ld 34,859 copies.	
	e sold one-and-a-half times as many copies as the Post.	
	escribes the number of newspapers the Tribune sold?	
A. $34,859 \times 1\frac{1}{2}$		
B. $34,859 \div 1\frac{1}{2}$		
C. $34,859 \times \frac{1}{2}$		
D. $34,859 \div \frac{1}{2}$		

Sample Item	Item Type	
Select all the expressions that have a value greater than 1,653.	Multiselect	
A. $1,653 \times \frac{1}{4}$		
B. 1,653 × 4		
C. 1,653 × 12		
D. $1,653 \times \frac{1}{4}$		
E. $1,653 \times 1\frac{1}{2}$		
See Appendix A for the Practice Test item aligned to a standard in this group.		

Content Standard	MAFS.5.NF Number and Operations – Fractions	
	MAFS.5.NF.2 Apply and extend previous understandings of mul division to multiply and divide fractions.	tiplication and
	MAFS.5.NF.2.7 Apply and extend previous understandings of div fractions by whole numbers and whole numbers by unit fraction	
	MAFS.5.NF.2.7a Interpret division of a unit fraction by a non-zer and compute such quotients. For example, create a story conte and use a visual fraction model to show the quotient. Use the rebetween multiplication and division to explain that $\left(\frac{1}{3}\right) \div 4 = \frac{1}{1}$.	$xt for \left(\frac{1}{3}\right) \div 4,$ elationship
	MAFS.5.NF.2.7b Interpret division of a whole number by a unit fraction, an compute such quotients. For example, create a story context for $4 \div \left(\frac{1}{5}\right)$, a visual fraction model to show the quotient. Use the relationship between multiplication and division to explain that $4 \div \left(\frac{1}{5}\right) = 20$ because $20 \times \left(\frac{1}{5}\right)$	
	MAFS.5.NF.2.7c Solve real world problems involving division of non-zero whole numbers and division of whole numbers by unit by using visual fraction models and equations to represent the example, how much chocolate will each person get if 3 people so chocolate equally? How many $\frac{1}{3}$ cup servings are in 2 cups of raise	it fractions, e.g., problem. For share $\frac{1}{2}$ lb. of
Assessment Limit	For given fractions in items, denominators are limited to 1-20.	
Calculator	No	
Context	Allowable	
Sample Item		
An expression is shown. Equation Edit		Equation Editor
$\frac{1}{7} \div 12$		
What is the value of	f the expression?	

Sample Item	Item Type
Julio has 8 pounds of candy. He wants to put the candy into bags so that each bag	Multiple Choice
has $\frac{1}{2}$ pound.	
Which equation shows how to calculate the number of bags of candy Julio can make?	
A. $16 \times \frac{1}{2} = 8$	
B. 16 × 2 = 32	
C. $16 \times 8 = \frac{1}{2}$	
D. 16 × 8 = 128	
Julia has 12 naunds of candy. He wants to put the candy into hags so that each hag	Faustian Editor
Julio has 12 pounds of candy. He wants to put the candy into bags so that each bag	Equation Editor
has $\frac{1}{6}$ pound of candy.	
How many total bags of candy can Julio make?	
See Appendix A for the Practice Test item aligned to a standard in this group.	

Content Standard	MAFS.5.MD Measurement and Data		
	MAFS.5.MD.1 Convert like measurement units within a given measurement system.		
	MAFS.5.MD.1.1 Convert among different-sized standard meas km, m, cm; kg, g; lb, oz.; l, ml; hr, min, sec) within a given mea (e.g., convert 5 cm to 0.05 m), and use these conversions in s real-world problems.	asurement system	
Assessment Limits	Measurement values may be whole, decimal, or fractional values. Conversions must be within the same system.		
Calculator	No		
Context	Allowable		
Sample Item	Item Type		
Michael is measuring fabric for the costumes of a school play. He needs 11.5 meters of fabric. He has 28.5 centimeters of fabric. How many more centimeters of fabric does he need?			
See Appendix A for the Practice Test item aligned to this standard.			

Content Standard	MAFS.5.MD Measurement and Data		
	MAFS.5.MD.2 Represent and interpret data.		
	MAFS.5.MD.2.2 Make a line plot to display a data set of measure fractions of a unit $\left(\frac{1}{2}, \frac{1}{4}, \frac{1}{8}\right)$. Use operations on fractions for the problems involving information presented in line plots. For exa different measurements of liquid in identical beakers, find the acceptable beaker would contain if the total amount in all the beaker redistributed equally.	is grade to solve mple, given mount of liquid s were	
Assessment Limit	Items requiring operations on fractions must adhere to the Ass for that operation's corresponding standard.	essment Limits	
Calculator	No		
Context	Allowable		
Sample Item		Item Type	
× × × × × × Ribbon Lengths (inches) What is the total length, in inches, of the longest piece and shortest piece of ribbon?			
that the difference	y's lengths of ribbons is shown. She adds another ribbon so between the longest ribbon and shortest ribbon is $1\frac{1}{8}$ inches. × × × × 15 16 igths (inches)	Equation Editor	
What length of ribb	What length of ribbon, in inches, could Kelly have added?		

Sample Item	Item Type	
A line plot with Kelly's ribbon lengths is shown. She adds two more ribbons so that	Equation Editor	
the total length of ribbon is 200 inches.		
X X X X X X X X X X X X X X X X X X X		
See Appendix A for the Practice Test item aligned to this standard.		


Content Standard	MAFS.5.MD Measurement and Data		
	MAFS.5.MD.3 Geometric measurement: understand concepts of volume and relate volume to multiplication and division.		
	MAFS.5.MD.3.3 Recognize volume as an attribute of solid figures concepts of volume measurement.	s and understand	
	MAFS.5.MD.3.3a A cube with side length 1 unit, called a "unit cube," is said to have "one cubic unit" of volume, and can be used to measure volume.		
	MAFS.5.MD.3.3b A solid figure which can be packed without gaps or overlaps using n unit cubes is said to have a volume of n cubic units.		
	Also Assesses:		
	MAFS.5.MD.3.4 Measure volumes by counting unit cubes, using cubic cm, cubic in, cubic ft, and improvised units.		
Assessment Limits	Items may contain right rectangular prisms with whole-number side lengths. Figures may only be shown with unit cubes. Labels may include cubic units (i.e. cubic centimeters, cubic feet, etc.) or exponential units (i.e., cm³, ft³, etc.). Items requiring measurement of volume by counting unit cubes must provide a key of the cubic unit.		
Calculator	No		
Context	Allowable		
Sample Item		Item Type	
Ellen is shopping for amount the box will	boxes. Which measurement should she use to determine the hold?	Multiple Choice	
A. Area B. Perimeter			
C. Length D. Volume			

Sample Item	Item Type	
A rectangular prism is shown.	Equation Editor	
1 in. 1 in.		
What is the volume, in cubic inches (in.), of the rectangular prism?		
Which prisms have a volume between 20 and 40 cubic units?	Multiselect	
1 in. 1 in. A. B. C. D.		
See Appendix A for the Practice Test item aligned to a standard in this group.		

Content Standard	MAFS.5.MD: Measurement and Data
	MAFS.5.MD.3 Geometric measurement: understand concepts of volume and relate volume to multiplication and to addition.
	MAFS.5.MD.3.5 Relate volume to the operations of multiplication and addition and solve real world and mathematical problems involving volume.
	MAFS.5.MD.3.5a Find the volume of a right rectangular prism with whole-number side lengths by packing it with unit cubes, and show that the volume is the same as would be found by multiplying the edge lengths, equivalently by multiplying the height by the area of the base. Represent threefold whole-number products as volumes, e.g., to represent the associative property of multiplication.
	MAFS.5.MD.3.5b Apply the formulas $V = I \times w \times h$ and $V = B \times h$ for rectangular prisms to find volumes of right rectangular prisms with whole-number edge lengths in the context of solving real world and mathematical problems.
	MAFS.5.MD.3.5c Recognize volume as additive. Find volumes of solid figures composed of two non-overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real world problems.
Assessment Limits	Items may not contain fraction or decimal dimensions or volumes. Items may contain no more than two non-overlapping prisms – non-overlapping means that two prisms may share a face, but they do not share the same volume.
	Items assessing MAFS.5.MD.3.5b may not contain the use or graphic of unit cubes. Items assessing MAFS.5.MD.3.5c must contain a graphic of the figures.
Calculator	No
Context	Allowable

Sample Item	Item Type	
A shipping box in the shape of a rectangular prism has the dimensions shown. 3 feet 2 feet $V = I \times w \times h$ What is the volume, in cubic feet, of the box?	Equation Editor	
Select all the options that could be the dimensions of a rectangular prism with a volume of 384 cubic feet (ft). A. length: 6 ft, width: 8 ft, height: 8 ft B. length: 4 ft, width: 12 ft, height: 24 ft C. length: 4 ft, width: 6 ft, height: 16 ft D. length: 4 ft, width: 8 ft, height: 12 ft E. length: 3 ft, width: 10 ft, height: 20 ft	Multiselect	
See Appendix A for the Practice Test item aligned to a standard in this group.		

Content Standard	MAFS.5.G Geometry		
	MAFS.5.G.1 Graph points on the coordinate plane to solve real-world and mathematical problems.		
	MAFS.5.G.1.1 Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates. Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel in the direction of the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., x-axis and x-coordinate, y-axis and y-coordinate).		
	Also Assesses:		
	MAFS.5.G.1.2 Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.		
Assessment Limits	Items assessing MAFS.5.G.1.1 may not require directions between two given points. Points must rely on the origin. Items assessing MAFS.5.G.1.1 may require identifying the point (e.g., <i>Point A</i>) on a coordinate grid that represents a given ordered pair. Items assessing MAFS.5.G.1.1 may require determining the ordered pair that represents a given point on the coordinate plane. Items assessing MAFS.5.G.1.1 may not require graphing/plotting a point given an ordered pair. Points may only contain positive, whole number ordered pairs. Mathematical and real-world problems must have axes scaled to whole numbers (not letters).		
Calculator	No		
Context	No context for MAFS 5.G.1.1; Allowable for MAFS.5.G.1.2	Itom Tuno	
Sample Item	ray from the origin on the <i>x</i> -axis.	Item Type Multiple Choice	
	coordinates of point Z ?	wuitiple Choice	
C. (3, 3) D. (3, 6)			



Sample Item	Item Type	
Some locations in Lamar's town are shown in the coordinate plane. y 10 9 8 7 6 Park School 1 2 3 4 5 6 7 8 9 10	Multiple Choice	
Lamar moved from one location to another by traveling 1 unit left and 5 units up. Which ways could he have traveled?		
A. from home to the parkB. from the park to the libraryC. from home to the libraryD. from school to the park		
See Appendix A for the Practice Test items aligned to these standards.		

Content Standard	MAFS.5.G Geometry		
	MAFS.5.G.2 Classify two-dimensional figures into categories based on their properties.		
	MAFS.5.G.2.3 Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.		
	Also Assesses:		
	MAFS.5.G.2.4 Classify and organize two-dimensional figures into based on the attributes of the figures.	o Venn diagrams	
Assessment Limit	Attributes of figures may be given or presented within given graphics. Items that include trapezoids must consider both the inclusive and exclusive definitions. Items may not use the term "kite" but may include the figure.		
Calculator	No		
Context	No context		
Sample Item		Item Type	
Select all the proper	rties that both rectangles and parallelograms always share.	Multiselect	
A. 4 right angles B. 4 sides of equal length C. 2 pairs of parallel sides D. 2 pairs of sides with equal length E. 2 acute angles and 2 obtuse angles			
Which kinds of shapes are always rectangles? Multiple Choice			
A. ParallelogramsB. QuadrilateralsC. RhombusesD. Squares			

Sample Item	Item Type	
Select all the shapes that are also always parallelograms.	Multiselect	
A		
В.		
c.		
D.		
E.		
Select all the names of figures that could also be classified as a rhombus.	Multiselect	
A. Parallelogram		
B. Square		
C. Rectangle		
D. Quadrilateral		
E. Triangle		
See Appendix A for the Practice Test item aligned to a standard in this group.		

Appendix A

The chart below contains information about the standard alignment for the items in the Grade 5 Mathematics FSA Computer-Based Practice Test at https://fsassessments.org/students-and-families/practice-tests.

Content Standard	Item Type	Paper-Based Practice Test Item Number
MAFS.5.OA.1.1	Equation Editor	10
MAFS.5.OA.1.2	Multiple Choice	12
MAFS.5.OA.2.3	Editing Task Choice	5
MAFS.5.NBT.1.1	Multiselect	4
MAFS.5.NBT.1.2	Multiselect	13
MAFS.5.NBT.1.3	Multiselect	21
MAFS.5.NBT.1.4	Equation Editor	7
MAFS.5.NBT.2.5	Multiple Choice	1
MAFS.5.NBT.2.6	Multiple Choice	17
MAFS.5.NBT.2.7	Equation Editor	23
MAFS.5.NF.1.1	Equation Editor	14
MAFS.5.NF.1.2	Multiple Choice	11
MAFS.5.NF.2.3	Equation Editor	22
MAFS.5.NF.2.4b	Equation Editor	20
MAFS.5.NF.2.5a	Matching Item	9
MAFS.5.NF.2.7b	Multiple Choice	2
MAFS.5.MD.1.1	Equation Editor	3
MAFS.5.MD.2.2	Multiple Choice	16
MAFS.5.MD.3.3	Multiple Choice	6
MAFS.5.MD.3.5b	Equation Editor	18
MAFS.5.G.1.1	Editing Task Choice	19
MAFS.5.G.1.2	Multiple Choice	8
MAFS.5.G.2.3	Matching Item	15

Appendix B: Revisions

Page(s)	Revision	Date
3	Revisions for paper-based testing (PBT) grades.	September 2018
9-41	Sample items not compatible with paper-based testing (PBT) deleted.	September 2018
1.1		Caratarahan 2010
14	Sample items revised.	September 2018
20-21	Assessment limits revised.	September 2018
24	Assessment limits revised.	September 2018
26	Sample item deleted.	September 2018
36	Sample items revised.	September 2018
38	Sample item deleted.	September 2018
42	Appendix A updated to show Fall 2018 Practice Test information.	September 2018

Grade 5 FSA Mathematics Reference Sheet

Customary Conversions

```
1 \text{ foot} = 12 \text{ inches}
```

1 yard = 3 feet

1 mile = 5,280 feet

1 mile = 1,760 yards

1 cup = 8 fluid ounces

1 pint = 2 cups

1 quart = 2 pints

1 gallon = 4 quarts

1 pound = 16 ounces

1 ton = 2,000 pounds

Metric Conversions

```
1 meter = 100 centimeters
```

1 meter = 1000 millimeters

1 kilometer = 1000 meters

1 liter = 1000 milliliters

1 gram = 1000 milligrams

1 kilogram = 1000 grams

Time Conversions

```
1 \text{ minute} = 60 \text{ seconds}
```

1 hour = 60 minutes

1 day = 24 hours

1 year = 365 days

1 year = 52 weeks