

Facility Information RESULT: Satisfactory

Permit Number: 06-48-00863

Name of Facility: Winston Park Elementary School

Address: 4000 Winston Park Boulevard

City, Zip: Coconut Creek 33073

Type: School (9 months or less)

Owner: Broward County School Board - Food & Nutrition Services
Person In Charge: Desmond Byard Phone: 754-322-9010

PIC Email: desmond.byard@browardschools.com

Inspection Information

Purpose: Routine Number of Risk Factors (Items 1-29): 1 Begin Time: 10:45 AM Inspection Date: 5/7/2025 Number of Repeat Violations (1-57 R): 0 End Time: 11:34 AM

Correct By: Next Inspection FacilityGrade: N/A Re-Inspection Date: None StopSale: No

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN 1. Demonstration of Knowledge/Training
- 2. Certified Manager/Person in charge present

 EMPLOYEE HEALTH
- IN 3. Knowledge, responsibilities and reporting
- IN 4. Proper use of restriction and exclusion
- S. Responding to vomiting & diarrheal events GOOD HYGIENIC PRACTICES
- IN 6. Proper eating, tasting, drinking, or tobacco use
- N 7. No discharge from eyes, nose, and mouth PREVENTING CONTAMINATION BY HANDS
- IN 8. Hands clean & properly washed
- No bare hand contact with RTE food
- IN 10. Handwashing sinks, accessible & supplies APPROVED SOURCE
- IN 11. Food obtained from approved source
- NO 12. Food received at proper temperature
- IN 13. Food in good condition, safe, & unadulterated
- NA 14. Shellstock tags & parasite destruction PROTECTION FROM CONTAMINATION
- IN 15. Food separated & protected; Single-use gloves

- IN 16. Food-contact surfaces; cleaned & sanitized
- IN 17. Proper disposal of unsafe food
- TIME/TEMPERATURE CONTROL FOR SAFETY
- NO 18. Cooking time & temperatures
- NO 19. Reheating procedures for hot holding
- NO 20. Cooling time and temperature
- **OUT** 21. Hot holding temperatures (COS)
 - IN 22. Cold holding temperatures
 - IN 23. Date marking and disposition
- NA 24. Time as PHČ; procedures & records
 - **CONSUMER ADVISORY**
- NA 25. Advisory for raw/undercooked food
 - HIGHLY SUSCEPTIBLE POPULATIONS
- IN 26. Pasteurized foods used; No prohibited foods
- ADDITIVES AND TOXIC SUBSTANCES
- N 27. Food additives: approved & properly used
- N 28. Toxic substances identified, stored, & used
 - APPROVED PROCEDURES
- NA 29. Variance/specialized process/HACCP

Inspector Signature:

Form Number: DH 4023 03/18

Client Signature:

06-48-00863 Winston Park Elementary School



Good Retail Practices

SAFE FOOD AND WATER

- IN 30. Pasteurized eggs used where required
- IN 31. Water & ice from approved source
- NA 32. Variance obtained for special processing

FOOD TEMPERATURE CONTROL

- **IN** 33. Proper cooling methods; adequate equipment
- IN 34. Plant food properly cooked for hot holding
- N 35. Approved thawing methods
- **IN** 36. Thermometers provided & accurate

FOOD IDENTIFICATION

37. Food properly labeled; original container

PREVENTION OF FOOD CONTAMINATION

- IN 38. Insects, rodents, & animals not present
- **IN** 39. No Contamination (preparation, storage, display)
- IN 40. Personal cleanliness
- IN 41. Wiping cloths: properly used & stored
- IN 42. Washing fruits & vegetables

PROPER USE OF UTENSILS

- IN 43. In-use utensils: properly stored
- IN 44. Equipment & linens: stored, dried, & handled IN 45. Single-use/single-service articles: stored & used

NA 46. Slash resistant/cloth gloves used properly

UTENSILS, EQUIPMENT AND VENDING

- IN 47. Food & non-food contact surfaces
- IN 48. Ware washing: installed, maintained, & used; test strips
- IN 49. Non-food contact surfaces clean

PHYSICAL FACILITIES

- IN 50. Hot & cold water available; adequate pressure
- N 51. Plumbing installed; proper backflow devices
- IN 52. Sewage & waste water properly disposed
- N 53. Toilet facilities: supplied, & cleaned
- N 54. Garbage & refuse disposal IN 55. Facilities installed, maintained, & clean
- **OUT** 56. Ventilation & lighting
 - IN 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

Violation #21. Hot holding temperatures

Hot TCS food (mixed vegetables) tested 130F, not held at 135F or above. Reheat foods at 165F/Reheat commercial product at 135F or above. Items discarded.

CODE REFERENCE: 64E-11.003(2). PHF/TCS foods, which are held hot and not subject to an approved HACCP plan, must be maintained at 135°F.

Violation #56. Ventilation & lighting

Observed light out in reach-in freezer. Repair/replace light.

CODE REFERENCE: 64E-11.003(6)(a). Adequate exhaust ventilation hood systems in food prep and warewashing areas shall be provided and designed. 50 foot candles shall be at surfaces where employees work with food and 20 foot candles shall be at surfaces where food is provided to consumers.

General Comments

Inspector Signature:

Client Signature:

and sel

Form Number: DH 4023 03/18 06-48-00863 Winston Park Elementary School



Employee Food Safety Training/Employee Health policy training completed on 08/08/24 Food Temps Cold Foods: Milk: 36F Yogurt: 38F Hot Foods: Meatballs:156F Bean Burrito:147F Chicken: 150F Refrigerator Temps Reach-in refrigerator: 30F Ice Cream Freezer: -20F Walk-in refrigerator: 35F Walk-in freezer: -15F Hot Water Temps Kitchen handsink: 126F 3 comp. sink: 120F Food prep sink: 126F Employee bathroom handsink: 108F-122F Mopsink: 114F Probe Food Thermometer Thermometer calibrated at 32F. 3 comp. sink chemical sanitizer: Eco Lab- 700PPM Sanitizer Test kit provided. PEST CONTROL Facility must implement an Integrated Pest Management plan. Pest Control service provided by Tower Pest Control. NON-SERVICE ANIMALS No dogs or non-service animals allowed inside establishment.

Inspector Signature:

Email Address(es): desmond.byard@browardschools.com

Client Signature:

Dund Bel

Form Number: DH 4023 03/18 06-48-00863 Winston Park Elementary School



Inspection Conducted By: Rhonda Anderson (6608) Inspector Contact Number: Work: (954) 412-7034 ex.

Print Client Name: Date: 5/7/2025

Inspector Signature:

Client Signature:

Jul Bel

Form Number: DH 4023 03/18 06-48-00863 Winston Park Elementary School