STATE OF FLORIDA DEPARTMENT OF HEALTH **COUNTY HEALTH DEPARTMENT** FOOD SERVICE INSPECTION REPORT



Facility Information

Permit Number: 06-48-00332

Name of Facility: Gulfstream Early Learning Center

Address: 120 SW 4 Avenue City, Zip: Hallandale Beach 33009

Type: School (9 months or less)

Owner: Broward County School Board - Food & Nutrition Services

Person In Charge: Dionne Bain McCutcheon Phone: (754) 321-0235

PIC Email: Arianna.Mahabir@browardschools.com

Inspection Information

Purpose: Routine

Inspection Date: 4/25/2025

Correct By: Next Inspection Re-Inspection Date: None Number of Risk Factors (Items 1-29): 0

Number of Repeat Violations (1-57 R): 1

FacilityGrade: N/A StopSale: No

Begin Time: 09:50 AM End Time: 10:24 AM

RESULT: Satisfactory

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- 1. Demonstration of Knowledge/Training
- N 2. Certified Manager/Person in charge present **EMPLOYEE HEALTH**
- in 3. Knowledge, responsibilities and reporting
- IN 4. Proper use of restriction and exclusion
- IN 5. Responding to vomiting & diarrheal events **GOOD HYGIENIC PRACTICES**
- N 6. Proper eating, tasting, drinking, or tobacco use
- IN 7. No discharge from eyes, nose, and mouth PREVENTING CONTAMINATION BY HANDS
- N 8. Hands clean & properly washed
- IN 9. No bare hand contact with RTE food
- IN 10. Handwashing sinks, accessible & supplies APPROVED SOURCE
- IN 11. Food obtained from approved source
- IN 12. Food received at proper temperature
- IN 13. Food in good condition, safe, & unadulterated
- 14. Shellstock tags & parasite destruction
 - PROTECTION FROM CONTAMINATION
- IN 15. Food separated & protected; Single-use gloves

- IN 16. Food-contact surfaces; cleaned & sanitized
- IN 17. Proper disposal of unsafe food TIME/TEMPERATURE CONTROL FOR SAFETY
- 18. Cooking time & temperatures
- IN 19. Reheating procedures for hot holding
- IN 20. Cooling time and temperature
- 21. Hot holding temperatures
- IN 22. Cold holding temperatures
- IN 23. Date marking and disposition
- NA 24. Time as PHC; procedures & records CONSUMER ADVISORY
- NA 25. Advisory for raw/undercooked food HIGHLY SUSCEPTIBLE POPULATIONS
- 26. Pasteurized foods used; No prohibited foods **ADDITIVES AND TOXIC SUBSTANCES**
- 27. Food additives: approved & properly used
- IN 28. Toxic substances identified, stored, & used APPROVED PROCEDURES
- NA 29. Variance/specialized process/HACCP

Inspector Signature:

Form Number: DH 4023 03/18

Client Signature:

Dionie B. M. Gutener

06-48-00332 Gulfstream Early Learning Center

STATE OF FLORIDA DEPARTMENT OF HEALTH COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT



Good Retail Practices

SAFE FOOD AND WATER

- N 30. Pasteurized eggs used where required
- IN 31. Water & ice from approved source
- NA 32. Variance obtained for special processing

FOOD TEMPERATURE CONTROL

- 33. Proper cooling methods; adequate equipment
- N 34. Plant food properly cooked for hot holding
- IN 35. Approved thawing methods
- OUT 36. Thermometers provided & accurate (R)

FOOD IDENTIFICATION

in 37. Food properly labeled; original container

PREVENTION OF FOOD CONTAMINATION

- 38. Insects, rodents, & animals not present
- IN 39. No Contamination (preparation, storage, display)
- iN 40. Personal cleanliness
- IN 41. Wiping cloths: properly used & stored
- 1N 42. Washing fruits & vegetables

PROPER USE OF UTENSILS

- IN 43. In-use utensils: properly stored
- IN 44. Equipment & linens: stored, dried, & handled
- IN 45. Single-use/single-service articles: stored & used

- NA 46. Slash resistant/cloth gloves used properly UTENSILS, EQUIPMENT AND VENDING
- IN 47. Food & non-food contact surfaces
- N 48. Ware washing: installed, maintained, & used; test strips
- IN 49. Non-food contact surfaces clean

PHYSICAL FACILITIES

- in 50. Hot & cold water available; adequate pressure
- N 51. Plumbing installed; proper backflow devices
- 52. Sewage & waste water properly disposed
 53. Toilet facilities: supplied, & cleaned
- IN 54. Garbage & refuse disposal
- IN 55. Facilities installed, maintained, & clean
- IN 56. Ventilation & lighting
- IN 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

Violation #36. Thermometers provided & accurate

Milk chest thermometer not provided. Provide proper working thermometer.

CODE REFERENCE: 64E-11.003(4). Thermometers must be calibrated to ensure accuracy in accordance with Rule requirements. Food thermometers scaled in Celsius (C) shall be accurate to plus or minus 1°C or in Fahrenheit (F), accurate to plus or minus 2°F. Food thermometers should be accessible for use by employees and have a probe size appropriate to the food item.

Inspector Signature:

Client Signature:

Dionie B. M. Guten

Form Number: DH 4023 03/18

06-48-00332 Gulfstream Early Learning Center

STATE OF FLORIDA DEPARTMENT OF HEALTH COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT



General Comments

INSPECTION SATISFACTORY

Employee Food Safety Training/Employee Health policy training completed on 08/08/2024

Food Temps Hot Foods: Chicken: 154F Green Beans: 149F Cold Foods: Milk: 39F

Refrigerator Temps Reach-in refrigerator: 30F Reach-in freezer: -12F Milk Chest: 36F

Hot Water Temps Kitchen handsink: 125F 3 comp. sink: 140F

Employee bathroom handsink: 141F

Mopsink: 130F

Sanitizer Used

3 comp. sink chemical sanitizer: QAC 200PPM

Sanitizer Test kit provided.

No dogs or non-service animals allowed inside establishment.

Email Address(es): Arianna.Mahabir@browardschools.com

Inspection Conducted By: Dominic Turturro (54361) Inspector Contact Number: Work: (954) 412-7312 ex.

Print Client Name: Date: 4/25/2025

Inspector Signature:

Client Signature:

Dione B. Mc Gutcher

Form Number: DH 4023 03/18

06-48-00332 Gulfstream Early Learning Center