STATE OF FLORIDA DEPARTMENT OF HEALTH **COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT**



RESULT: Satisfactory **Facility Information**

Permit Number: 06-48-00193

Name of Facility: Croissant Park Elem School

Address: 1800 SW 4 Avenue City, Zip: Fort Lauderdale 33315

Type: School (9 months or less)

Owner: Broward County School Board - Food & Nutrition Services Person In Charge: Tonya Boegel Phone: 754-323-5310 PIC Email: TONYA.BOEGEL@BROWARDSCHOOLS.COM

Inspection Information

Number of Risk Factors (Items 1-29): 0 Begin Time: 10:40 AM Purpose: Routine Inspection Date: 5/19/2022 Number of Repeat Violations (1-57 R): 0 End Time: 11:35 AM

Correct By: Next Inspection FacilityGrade: N/A Re-Inspection Date: None StopSale: No

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN 1. Demonstration of Knowledge/Training
- N 2. Certified Manager/Person in charge present **EMPLOYEE HEALTH**
- IN 3. Knowledge, responsibilities and reporting
- N 4. Proper use of restriction and exclusion
- IN 5. Responding to vomiting & diarrheal events GOOD HYGIENIC PRACTICES
- IN 6. Proper eating, tasting, drinking, or tobacco use
- N 7. No discharge from eyes, nose, and mouth PREVENTING CONTAMINATION BY HANDS
- IN 8. Hands clean & properly washed
- No bare hand contact with RTE food
- IN 10. Handwashing sinks, accessible & supplies APPROVED SOURCE
- IN 11. Food obtained from approved source
- N 12. Food received at proper temperature
- IN 13. Food in good condition, safe, & unadulterated
- NA 14. Shellstock tags & parasite destruction PROTECTION FROM CONTAMINATION
- IN 15. Food separated & protected; Single-use gloves

- IN 16. Food-contact surfaces; cleaned & sanitized
- IN 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- 18. Cooking time & temperatures
- IN 19. Reheating procedures for hot holding
- IN 20. Cooling time and temperature
- IN 21. Hot holding temperatures
- N 22. Cold holding temperatures
- IN 23. Date marking and disposition
- NA 24. Time as PHC; procedures & records

CONSUMER ADVISORY

- NA 25. Advisory for raw/undercooked food HIGHLY SÚSCEPTIBLE POPULATIONS
- IN 26. Pasteurized foods used; No prohibited foods
- ADDITIVES AND TOXIC SUBSTANCES
- IN 27. Food additives: approved & properly used
- 28. Toxic substances identified, stored, & used
 - APPROVED PROCEDURES
- NA 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

Jongaro. Brosegel

Form Number: DH 4023 03/18 06-48-00193 Croissant Park Elem School

STATE OF FLORIDA DEPARTMENT OF HEALTH COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT



Good Retail Practices

SAFE FOOD AND WATER

IN 30. Pasteurized eggs used where required

IN 31. Water & ice from approved source

NA 32. Variance obtained for special processing

FOOD TEMPERATURE CONTROL

IN 33. Proper cooling methods; adequate equipment

IN 34. Plant food properly cooked for hot holding

N 35. Approved thawing methods

IN 36. Thermometers provided & accurate

FOOD IDENTIFICATION

N 37. Food properly labeled; original container

PREVENTION OF FOOD CONTAMINATION

IN 38. Insects, rodents, & animals not present

IN 39. No Contamination (preparation, storage, display)

IN 40. Personal cleanliness

IN 41. Wiping cloths: properly used & stored

IN 42. Washing fruits & vegetables

PROPER USE OF UTENSILS

IN 43. In-use utensils: properly stored

IN 44. Equipment & linens: stored, dried, & handled

N 45. Single-use/single-service articles: stored & used

NA 46. Slash resistant/cloth gloves used properly

UTENSILS, EQUIPMENT AND VENDING

IN 47. Food & non-food contact surfaces

IN 48. Ware washing: installed, maintained, & used; test strips

IN 49. Non-food contact surfaces clean

PHYSICAL FACILITIES

IN 50. Hot & cold water available; adequate pressure

IN 51. Plumbing installed; proper backflow devices

No. 52. Sewage & waste water properly disposed

OUT 53. Toilet facilities: supplied, & cleaned

IN 54. Garbage & refuse disposal
OUT 55. Facilities installed, maintained, & clean

IN 56. Ventilation & lighting

IN 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

Violation #53. Toilet facilities: supplied, & cleaned

Observed bathroom exhaust vents dirty.

CODE REFERENCE: 64E-11.003(5). Toilet facilities shall meet applicable plumbing code, be kept clean, provided with toilet paper and covered waste receptacle, and utilize self-closing doors.

Violation #55. Facilities installed, maintained, & clean

Observed walk in freezer door in disrepair. -WO# 518202; 529286

CODE REFERENCE: 64E-11.003(5). Floors, walls, and ceilings shall be smooth, durable, easily cleanable, and non-absorbent. Exterior areas shall be kept cleaned.

Inspector Signature:

Client Signature:

Jongaro. Breezel

Form Number: DH 4023 03/18 06-48-00193 Croissant Park Elem School

STATE OF FLORIDA DEPARTMENT OF HEALTH COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT



General Comments

EMPLOYEE TRAINING: 03/17/2022

QA LEVEL: 200 PPM (Three Compartment Sink)

FOOD TEMPS:

Chicken Patty: 151 F (Warmer) Chicken Nuggets: 141 F (Warmer) Green Beans: 140 F (Serving Line)

Milk: 36 F (Milk Chest) Juice: 39 F (Walk In)

SINK TEMPS: HANDSINK: 106 F

THREE COMPARTMENT SINK: 131 F

MOP SINK: 120 F

EMPLOYEE BATHROOM MEN: 104 F EMPLOYEE BATHROOM WOMEN: 105 F

REFRIGERATOR TEMPS: WALK IN: 38 F

WALK IN FREEZER: -10 F REACH IN FREEZER: 0 F REACH IN 2 DOOR: 39 F REACH IN 3 DOOR: 40 F REACH IN FREEZER: 0 F

Email Address(es): TONYA.BOEGEL@BROWARDSCHOOLS.COM

Inspection Conducted By: Jonathan Alvear (6435) Inspector Contact Number: Work: (954) 412-7222 ex.

Print Client Name: Date: 5/19/2022

Inspector Signature:

Client Signature:

Jonnard. Brougel

Form Number: DH 4023 03/18 06-48-00193 Croissant Park Elem School