

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Facility Information

RESULT: Satisfactory

Permit Number: 06-48-00205
Name of Facility: Dania Elementary School
Address: 300 SE 2 Avenue
City, Zip: Dania Beach 33004

Type: School (9 months or less)
Owner: Broward County School Board - Food & Nutrition Services
Person In Charge: Donna Masterson Phone: (754) 321-0235
PIC Email: Donn.Masterson@browardschools.com

Inspection Information

Purpose: Routine	Number of Risk Factors (Items 1-29): 0	Begin Time: 10:20 AM
Inspection Date: 2/12/2024	Number of Repeat Violations (1-57 R): 0	End Time: 11:18 AM
Correct By: Next Inspection	Facility Grade: N/A	
Re-Inspection Date: None	Stop Sale: No	

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN 1. Demonstration of Knowledge/Training
- IN 2. Certified Manager/Person in charge present

EMPLOYEE HEALTH

- IN 3. Knowledge, responsibilities and reporting
- IN 4. Proper use of restriction and exclusion
- IN 5. Responding to vomiting & diarrheal events

GOOD HYGIENIC PRACTICES

- IN 6. Proper eating, tasting, drinking, or tobacco use
- IN 7. No discharge from eyes, nose, and mouth

PREVENTING CONTAMINATION BY HANDS

- IN 8. Hands clean & properly washed
- IN 9. No bare hand contact with RTE food
- IN 10. Handwashing sinks, accessible & supplies

APPROVED SOURCE

- IN 11. Food obtained from approved source
- IN 12. Food received at proper temperature
- IN 13. Food in good condition, safe, & unadulterated

- NA 14. Shellstock tags & parasite destruction

PROTECTION FROM CONTAMINATION

- IN 15. Food separated & protected; Single-use gloves

- IN 16. Food-contact surfaces; cleaned & sanitized

- IN 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- NO 18. Cooking time & temperatures
- IN 19. Reheating procedures for hot holding

- NO 20. Cooling time and temperature

- IN 21. Hot holding temperatures

- IN 22. Cold holding temperatures

- IN 23. Date marking and disposition

- NA 24. Time as PHC; procedures & records

CONSUMER ADVISORY

- NA 25. Advisory for raw/undercooked food

HIGHLY SUSCEPTIBLE POPULATIONS

- IN 26. Pasteurized foods used; No prohibited foods

ADDITIVES AND TOXIC SUBSTANCES

- IN 27. Food additives: approved & properly used
- IN 28. Toxic substances identified, stored, & used

APPROVED PROCEDURES

- NA 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Good Retail Practices

SAFE FOOD AND WATER

- IN 30. Pasteurized eggs used where required
IN 31. Water & ice from approved source
NA 32. Variance obtained for special processing

FOOD TEMPERATURE CONTROL

- IN 33. Proper cooling methods; adequate equipment
IN 34. Plant food properly cooked for hot holding
NO 35. Approved thawing methods
IN 36. Thermometers provided & accurate

FOOD IDENTIFICATION

- IN 37. Food properly labeled; original container

PREVENTION OF FOOD CONTAMINATION

- IN 38. Insects, rodents, & animals not present
IN 39. No Contamination (preparation, storage, display)
IN 40. Personal cleanliness
IN 41. Wiping cloths: properly used & stored
NO 42. Washing fruits & vegetables

PROPER USE OF UTENSILS

- IN 43. In-use utensils: properly stored
IN 44. Equipment & linens: stored, dried, & handled
OUT 45. Single-use/single-service articles: stored & used (COS)

- NA 46. Slash resistant/cloth gloves used properly

UTENSILS, EQUIPMENT AND VENDING

- OUT 47. Food & non-food contact surfaces (COS)
IN 48. Ware washing: installed, maintained, & used; test strips
IN 49. Non-food contact surfaces clean

PHYSICAL FACILITIES

- IN 50. Hot & cold water available; adequate pressure
IN 51. Plumbing installed; proper backflow devices
IN 52. Sewage & waste water properly disposed
IN 53. Toilet facilities: supplied, & cleaned
OUT 54. Garbage & refuse disposal
IN 55. Facilities installed, maintained, & clean
IN 56. Ventilation & lighting
IN 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

Violation #45. Single-use/single-service articles: stored & used
Single-service items (spoons) not properly stored/ protected from contamination. Store single-use items away from area/sources of contamination. -Covered in plastic by PIC. Corrected on site.
CODE REFERENCE: 64E-11.003(4). Single-service/Single-use articles must be properly stored and protected to prevent possible contamination. Discard items after use.

Violation #47. Food & non-food contact surfaces
Extensive ice buildup in walk in freezer. Located under freezer fans. Repair freezer to stop ice buildup. -Corrected on site by PIC
CODE REFERENCE: 64E-11.003(4). Equipment and utensils must be properly designed, constructed, and in good repair.

Violation #54. Garbage & refuse disposal
Garbage container/dumpster not kept covered with tight fitted lids/covers/doors. Maintain garbage container/dumpster closed, provide tight fitted lids.

CODE REFERENCE: 64E-11.003(5). Garbage shall be disposed of to prevent vector harborage. Trash cans will be durable, cleanable, leak proof, insect and rodent resistant, and non-absorbent. Outside storage area shall be of a smooth, non-absorbent material and sloped to a drain.

Inspector Signature:

Client Signature: