

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Facility Information

RESULT: Satisfactory

Permit Number: 06-48-00484
Name of Facility: Martin Luther King Elem School
Address: 591 NW 31 Avenue
City, Zip: Fort Lauderdale 33311

Type: School (9 months or less)
Owner: Broward County School Board - Food & Nutrition Services
Person In Charge: Quevilla Miller Phone: (754) 322-6560
PIC Email: quevilla.miller@browardschools.com

Inspection Information

Purpose: Routine
Inspection Date: 4/14/2025
Correct By: Next Inspection
Re-Inspection Date: None

Number of Risk Factors (Items 1-29): 1
Number of Repeat Violations (1-57 R): 0
Facility Grade: N/A
Stop Sale: No

Begin Time: 11:40 AM
End Time: 12:32 PM

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN** 1. Demonstration of Knowledge/Training
- IN** 2. Certified Manager/Person in charge present

EMPLOYEE HEALTH

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

GOOD HYGIENIC PRACTICES

- OUT** 6. Proper eating, tasting, drinking, or tobacco use (**COS**)

- IN** 7. No discharge from eyes, nose, and mouth

PREVENTING CONTAMINATION BY HANDS

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- IN** 10. Handwashing sinks, accessible & supplies

APPROVED SOURCE

- IN** 11. Food obtained from approved source
- NO** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

PROTECTION FROM CONTAMINATION

- IN** 15. Food separated & protected; Single-use gloves

- IN** 16. Food-contact surfaces; cleaned & sanitized

- IN** 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- IN** 18. Cooking time & temperatures
- IN** 19. Reheating procedures for hot holding
- IN** 20. Cooling time and temperature
- IN** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition
- NA** 24. Time as PHC; procedures & records

CONSUMER ADVISORY

- NA** 25. Advisory for raw/undercooked food

HIGHLY SUSCEPTIBLE POPULATIONS

- IN** 26. Pasteurized foods used; No prohibited foods

ADDITIVES AND TOXIC SUBSTANCES

- IN** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

APPROVED PROCEDURES

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

Form Number: DH 4023 03/18

06-48-00484 Martin Luther King Elem School

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Good Retail Practices

SAFE FOOD AND WATER

- IN** 30. Pasteurized eggs used where required
- IN** 31. Water & ice from approved source
- NA** 32. Variance obtained for special processing

FOOD TEMPERATURE CONTROL

- IN** 33. Proper cooling methods; adequate equipment
- NO** 34. Plant food properly cooked for hot holding
- IN** 35. Approved thawing methods
- IN** 36. Thermometers provided & accurate

FOOD IDENTIFICATION

- IN** 37. Food properly labeled; original container

PREVENTION OF FOOD CONTAMINATION

- IN** 38. Insects, rodents, & animals not present
- IN** 39. No Contamination (preparation, storage, display)
- IN** 40. Personal cleanliness
- IN** 41. Wiping cloths: properly used & stored
- NO** 42. Washing fruits & vegetables

PROPER USE OF UTENSILS

- IN** 43. In-use utensils: properly stored
- OUT** 44. Equipment & linens: stored, dried, & handled
- IN** 45. Single-use/single-service articles: stored & used

- NA** 46. Slash resistant/cloth gloves used properly

UTENSILS, EQUIPMENT AND VENDING

- IN** 47. Food & non-food contact surfaces
- IN** 48. Ware washing: installed, maintained, & used; test strips
- IN** 49. Non-food contact surfaces clean

PHYSICAL FACILITIES

- IN** 50. Hot & cold water available; adequate pressure
- IN** 51. Plumbing installed; proper backflow devices
- IN** 52. Sewage & waste water properly disposed
- IN** 53. Toilet facilities: supplied, & cleaned
- IN** 54. Garbage & refuse disposal
- OUT** 55. Facilities installed, maintained, & clean
- IN** 56. Ventilation & lighting
- IN** 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

Violation #6. Proper eating, tasting, drinking, or tobacco use
Food employee drinking in food prep area with exposed equipment (Oven Opened). Restrict eating, drinking or use of tobacco to designated areas only.
Corrected Onsite. Manager spoke to employee regarding proper eating, tasting, drinking, or tobacco use. Employee removed bottle from prep area.

CODE REFERENCE: 64E-11.003(3). Food employees shall not eat, drink, or smoke in unauthorized locations.

Violation #44. Equipment & linens: stored, dried, & handled
Utensils not stored so that only the handles are touched in prep area. Store utensils so that only handles are touched when ready for use.

CODE REFERENCE: 64E-11.003(4). Utensils and equipment must be cleaned, sanitized and air dried prior to storage. Utensils, equipment, and linens must be properly cleaned and stored.

Violation #55. Facilities installed, maintained, & clean
Observed ceiling tile in disrepair above employee restroom entrance. Repair/replace ceiling tile.
CODE REFERENCE: 64E-11.003(5). Floors, walls, and ceilings shall be smooth, durable, easily cleanable, and non-absorbent. Exterior areas shall be kept cleaned.

Inspector Signature:

Client Signature:

Form Number: DH 4023 03/18

06-48-00484 Martin Luther King Elem School

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



General Comments

RESULT: SATISFACTORY

Employee Food Safety Training/Employee Health policy training completed on 04/03/2025

Food Temps

Tangerine Chicken: 137 F

Black Beans: 155 F

Rice: 135 F

Milk: 40 F

Refrigerator Temps

Reach-in refrigerator: 40 F

Reach-in freezer: 0 F

Walk-in refrigerator: 35 F

Walk-in freezer: - 20 F

Hot Water Temps

Kitchen handsink #1: 100 F

kitchen handsink #2: 101 F

Kitchen Handsink #3: 103 F

3 comp. sink: 115 F

Food prep sink: 107 F

Employee bathroom handsink: 100 F

Mopsink: 120 F

Probe Food Thermometer

Thermometer calibrated at 32F.

Warewashing Procedure/Sanitizer Used

3 comp. sink chemical sanitizer (EcoLab Sanitizer): 700 ppm

Sanitizer Test kit provided.

NON-SERVICE ANIMALS

No dogs or non-service animals allowed inside establishment.

Email Address(es): quevilla.miller@browardschools.com

Inspection Conducted By: Alberto Torres Rosal (6607)

Inspector Contact Number: Work: (954) 412-7281 ex.

Print Client Name:

Date: 4/14/2025

Inspector Signature:

Client Signature:

Form Number: DH 4023 03/18

06-48-00484 Martin Luther King Elem School