

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Facility Information

RESULT: Satisfactory

Permit Number: 06-48-00434
Name of Facility: Lake Forest Elementary School
Address: 3550 SW 48 Avenue
City, Zip: Hollywood 33023

Type: School (more than 9 months)
Owner: Broward County School Board - Food & Nutrition Services
Person In Charge: Monique Mcshan Phone: 754-323-00434
PIC Email: monique.mcshan@browardschools.com

Inspection Information

Purpose: Routine
Inspection Date: 6/7/2022
Correct By: Next Inspection
Re-Inspection Date: None

Number of Risk Factors (Items 1-29): 1
Number of Repeat Violations (1-57 R): 0
Facility Grade: N/A
Stop Sale: No

Begin Time: 10:35 AM
End Time: 11:30 AM

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN** 1. Demonstration of Knowledge/Training
- IN** 2. Certified Manager/Person in charge present

EMPLOYEE HEALTH

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

GOOD HYGIENIC PRACTICES

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

PREVENTING CONTAMINATION BY HANDS

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food

- OUT** 10. Handwashing sinks, accessible & supplies (COS)

APPROVED SOURCE

- IN** 11. Food obtained from approved source
- IN** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated

- NA** 14. Shellstock tags & parasite destruction

PROTECTION FROM CONTAMINATION

- IN** 15. Food separated & protected; Single-use gloves

- IN** 16. Food-contact surfaces; cleaned & sanitized

- IN** 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- IN** 18. Cooking time & temperatures
- IN** 19. Reheating procedures for hot holding
- IN** 20. Cooling time and temperature
- IN** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition

- NA** 24. Time as PHC; procedures & records

CONSUMER ADVISORY

- NA** 25. Advisory for raw/undercooked food

HIGHLY SUSCEPTIBLE POPULATIONS

- IN** 26. Pasteurized foods used; No prohibited foods

ADDITIVES AND TOXIC SUBSTANCES

- IN** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

APPROVED PROCEDURES

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT**



Good Retail Practices

SAFE FOOD AND WATER	
<u>IN</u> 30. Pasteurized eggs used where required	<u>NA</u> 46. Slash resistant/cloth gloves used properly
<u>IN</u> 31. Water & ice from approved source	UTENSILS, EQUIPMENT AND VENDING
<u>NA</u> 32. Variance obtained for special processing	<u>IN</u> 47. Food & non-food contact surfaces
FOOD TEMPERATURE CONTROL	<u>OUT</u> 48. Ware washing: installed, maintained, & used; test strips (COS)
<u>IN</u> 33. Proper cooling methods; adequate equipment	<u>IN</u> 49. Non-food contact surfaces clean
<u>IN</u> 34. Plant food properly cooked for hot holding	PHYSICAL FACILITIES
<u>IN</u> 35. Approved thawing methods	<u>OUT</u> 50. Hot & cold water available; adequate pressure (COS)
<u>IN</u> 36. Thermometers provided & accurate	<u>IN</u> 51. Plumbing installed; proper backflow devices
FOOD IDENTIFICATION	<u>IN</u> 52. Sewage & waste water properly disposed
<u>IN</u> 37. Food properly labeled; original container	<u>IN</u> 53. Toilet facilities: supplied, & cleaned
PREVENTION OF FOOD CONTAMINATION	<u>OUT</u> 54. Garbage & refuse disposal
<u>IN</u> 38. Insects, rodents, & animals not present	<u>IN</u> 55. Facilities installed, maintained, & clean
<u>IN</u> 39. No Contamination (preparation, storage, display)	<u>OUT</u> 56. Ventilation & lighting
<u>IN</u> 40. Personal cleanliness	<u>IN</u> 57. Permit; Fees; Application; Plans
<u>IN</u> 41. Wiping cloths: properly used & stored	
<u>IN</u> 42. Washing fruits & vegetables	
PROPER USE OF UTENSILS	
<u>IN</u> 43. In-use utensils: properly stored	
<u>IN</u> 44. Equipment & linens: stored, dried, & handled	
<u>IN</u> 45. Single-use/single-service articles: stored & used	

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

<p>Violation #10. Handwashing sinks, accessible & supplies Hot water not provided at handwashing sink in (Handwashing Sink, Employee Bathroom). Highest water temp. is 80 F. -COS</p> <p>CODE REFERENCE: 64E-11.003(5)(d). Handwashing sinks are properly equipped with hand soap, individual disposable towels or hand drying device, and signage; and conveniently located.</p>
<p>Violation #48. Ware washing: installed, maintained, & used; test strips Wash solution water temperature is 90 F. Minimum water temperature requirement is 110F. -COS</p> <p>CODE REFERENCE: 64E-11.003(4). Warewashing facilities must be approved, available, maintained, effective, and used for cleaning and sanitizing food-contact surfaces and equipment. Test strips are available and used to verify the solution is at a concentration necessary to achieve sanitization.</p>
<p>Violation #50. Hot & cold water available; adequate pressure Service sink (mop sink) not provided with hot water. -COS</p> <p>CODE REFERENCE: 64E-11.003(5)(a). The water source shall be of sufficient capacity to meet the peak hot and cold water demands of the establishment and provide water under pressure.</p>
<p>Violation #54. Garbage & refuse disposal Observed #1 dumpster drain plug missing.</p> <p>Observed somat waste on floor in dumpster area.</p> <p>CODE REFERENCE: 64E-11.003(5). Garbage shall be disposed of to prevent vector harborage. Trash cans will be durable, cleanable, leak proof, insect and rodent resistant, and non-absorbent. Outside storage area shall be of a smooth, non-absorbent material and sloped to a drain.</p>
<p>Violation #56. Ventilation & lighting Observed #1 light fixture not working in dry storage.</p> <p>CODE REFERENCE: 64E-11.003(6)(a). Adequate exhaust ventilation hood systems in food prep and warewashing areas shall be provided and designed. 50 foot candles shall be at surfaces where employees work with food and 20 foot candles shall be at surfaces where food is provided to consumers.</p>

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



General Comments

Employee Training: 03/17/2022
QA Levels: 200 PPM (Three Compartment Sink)

Observed no hot water at beginning of inspection. Maintenance reset hot water. Staff informed me that water heater has to be reset everyday to provide hot water to kitchen area. Hot water must be provided during food prep.

Food Temps:
Fried Chicken: 170 F (Warmer)
Pulled Pork: 168 F (Serving Line)
Mixed Vegetables: 140 F (Serving Line)
Milk: 37 F (Milk Chest)
Margarine: 39 F (Walk In)

Cooling Temps:
Walk In 35 F
Walk In Freezer: 10 F
Milk Chest: 35 F
Reach In: 40 F
Ice Cream Chest Freezer: -20 F

Sink Temps:
Handwashing Sink: 102 F
Three Compartment Sink: 113 F
Employee Bathroom: 101 F
Mop Sink: 112 F

Email Address(es): monique.mcshan@browardschools.com

Inspection Conducted By: Jonathan Alvear (6435)
Inspector Contact Number: Work: (954) 412-7222 ex.
Print Client Name:
Date: 6/7/2022

Inspector Signature:

Handwritten signature of Jonathan Alvear.

Client Signature:

Handwritten signature of the client.