

Facility Information RESULT: Satisfactory

Permit Number: 06-48-00552

Name of Facility: North Lauderdale Elementary School

Address: 7500 Kimberly Boulevard City, Zip: North Lauderdale 33068

Type: School (9 months or less)

Owner: Broward County School Board - Food & Nutrition Services
Person In Charge: Washington Landa Phone: 754-3227410

PIC Email: washington.landa@browardschools.com

Inspection Information

Purpose: Routine Number of Risk Factors (Items 1-29): 1 Begin Time: 10:15 AM Inspection Date: 2/24/2023 Number of Repeat Violations (1-57 R): 1 End Time: 10:55 AM

Correct By: Next Inspection FacilityGrade: N/A Re-Inspection Date: None StopSale: No

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN 1. Demonstration of Knowledge/Training
- NA 2. Certified Manager/Person in charge present EMPLOYEE HEALTH
- IN 3. Knowledge, responsibilities and reporting
- N 4. Proper use of restriction and exclusion
- **IN** 5. Responding to vomiting & diarrheal events
- GOOD HYGIENIC PRACTICES
- NO 6. Proper eating, tasting, drinking, or tobacco use
- 7. No discharge from eyes, nose, and mouth
 PREVENTING CONTAMINATION BY HANDS
- IN 8. Hands clean & properly washed
- No bare hand contact with RTE food
- 10. Handwashing sinks, accessible & supplies APPROVED SOURCE
- IN 11. Food obtained from approved source
- NO 12. Food received at proper temperature
- N 13. Food in good condition, safe, & unadulterated
- NA 14. Shellstock tags & parasite destruction PROTECTION FROM CONTAMINATION
- IN 15. Food separated & protected; Single-use gloves

- OUT 16. Food-contact surfaces; cleaned & sanitized (R)
- NO 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- NO 18. Cooking time & temperatures
- NO 19. Reheating procedures for hot holding
- N 20. Cooling time and temperature
- N 21. Hot holding temperatures
- N 22. Cold holding temperatures
- N 23. Date marking and disposition
- NA 24. Time as PHC; procedures & records
- CONSUMER ADVISORY
- NA 25. Advisory for raw/undercooked food HIGHLY SUSCEPTIBLE POPULATIONS
- N 26. Pasteurized foods used; No prohibited foods
- ADDITIVES AND TOXIC SUBSTANCES
- N 27. Food additives: approved & properly used
- IN 28. Toxic substances identified, stored, & used
 - APPROVED PROCEDURES
- NA 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

ast

Form Number: DH 4023 03/18 06-48-00552 North Lauderdale Elementary School



Good Retail Practices

SAFE FOOD AND WATER

IN 30. Pasteurized eggs used where required

NO 31. Water & ice from approved source

NA 32. Variance obtained for special processing

FOOD TEMPERATURE CONTROL

IN 33. Proper cooling methods; adequate equipment

NO 34. Plant food properly cooked for hot holding

IN 35. Approved thawing methods

IN 36. Thermometers provided & accurate

FOOD IDENTIFICATION

IN 37. Food properly labeled; original container

PREVENTION OF FOOD CONTAMINATION

IN 38. Insects, rodents, & animals not present

IN 39. No Contamination (preparation, storage, display)

IN 40. Personal cleanliness

IN 41. Wiping cloths: properly used & stored

NO 42. Washing fruits & vegetables

PROPER USE OF UTENSILS

N 43. In-use utensils: properly stored

IN 44. Equipment & linens: stored, dried, & handled

IN 45. Single-use/single-service articles: stored & used

NA 46. Slash resistant/cloth gloves used properly

UTENSILS, EQUIPMENT AND VENDING

IN 47. Food & non-food contact surfaces

IN 48. Ware washing: installed, maintained, & used; test strips

IN 49. Non-food contact surfaces clean

PHYSICAL FACILITIES

IN 50. Hot & cold water available; adequate pressure

51. Plumbing installed; proper backflow devices

IN 52. Sewage & waste water properly disposed

N 53. Toilet facilities: supplied, & cleaned

OUT 54. Garbage & refuse disposal

IN 55. Facilities installed, maintained, & clean

N 56. Ventilation & lighting

IN 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

Violation #16. Food-contact surfaces; cleaned & sanitized

Mold/mildew inside ice machine deflector.

CODE REFERENCE: 64E-11.003(2). Food shall only contact surfaces that are clean and sanitized.

Violation #54. Garbage & refuse disposal

Dumpster drain plug missing.

CODE REFERENCE: 64E-11.003(5). Garbage shall be disposed of to prevent vector harborage. Trash cans will be durable, cleanable, leak proof, insect and rodent resistant, and non-absorbent. Outside storage area shall be of a smooth, non-absorbent material and sloped to a drain.

Inspector Signature:

Client Signature:

alt

Form Number: DH 4023 03/18 06-48-00552 North Lauderdale Elementary School



General Comments
Inspection Result: Satisfactory
Equipment: Reach in refrigerator: 40F/40F Reach in freezer: 0F/10F Walk in refrigerator: 33F Walk in freezer:10F Chest Cooler: -10F Milk Chest Cooler: 41F
Hot Water: Handwashing sink: 111F Prep sink:103F 4 Compartment sink:106F Mop sink: 103F Bathrooms:102F
Sanitizer: 4-comparment sink: 200PPM
Food: Pizza: 160F Milk: 40F Chicken Nugget: 146F
Employee Food Safety Training/Employee Health policy training observed dated 8/15/2022
Email Address(es): washington.landa@browardschools.com

Inspector Signature:

Client Signature:

Form Number: DH 4023 03/18

06-48-00552 North Lauderdale Elementary School



Inspection Conducted By: Arlettie Abrahantes (6607) Inspector Contact Number: Work: (954) 412-7218 ex.

Print Client Name: Date: 2/24/2023

Inspector Signature:

Client Signature:

Form Number: DH 4023 03/18 06-48-00552 North Lauderdale Elementary School