

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**Facility Information**

**RESULT: Satisfactory**

Permit Number: 06-48-00836  
Name of Facility: Watkins Elementary School  
Address: 3520 SW 52 Avenue  
City, Zip: Hollywood 33023

Type: School (more than 9 months)  
Owner: Broward County School Board - Food & Nutrition Services  
Person In Charge: Monique McShan Phone: 754-323-7810  
PIC Email: Monique.McShan@browardschools.com

**Inspection Information**

Purpose: Routine  
Inspection Date: 4/4/2023  
Correct By: Next Inspection  
**Re-Inspection Date: None**

Number of Risk Factors (Items 1-29): 0  
Number of Repeat Violations (1-57 R): 1  
Facility Grade: N/A  
Stop Sale: No

Begin Time: 09:25 AM  
End Time: 10:00 AM

*Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection*

**FoodBorne Illness Risk Factors And Public Health Interventions**

**SUPERVISION**

- IN 1. Demonstration of Knowledge/Training
- IN 2. Certified Manager/Person in charge present

**EMPLOYEE HEALTH**

- IN 3. Knowledge, responsibilities and reporting
- IN 4. Proper use of restriction and exclusion
- IN 5. Responding to vomiting & diarrheal events

**GOOD HYGIENIC PRACTICES**

- IN 6. Proper eating, tasting, drinking, or tobacco use
- IN 7. No discharge from eyes, nose, and mouth

**PREVENTING CONTAMINATION BY HANDS**

- IN 8. Hands clean & properly washed
- IN 9. No bare hand contact with RTE food
- IN 10. Handwashing sinks, accessible & supplies

**APPROVED SOURCE**

- IN 11. Food obtained from approved source
- IN 12. Food received at proper temperature
- IN 13. Food in good condition, safe, & unadulterated
- NA 14. Shellstock tags & parasite destruction

**PROTECTION FROM CONTAMINATION**

- IN 15. Food separated & protected; Single-use gloves

- IN 16. Food-contact surfaces; cleaned & sanitized

- IN 17. Proper disposal of unsafe food

**TIME/TEMPERATURE CONTROL FOR SAFETY**

- IN 18. Cooking time & temperatures
- IN 19. Reheating procedures for hot holding
- IN 20. Cooling time and temperature
- IN 21. Hot holding temperatures
- IN 22. Cold holding temperatures
- IN 23. Date marking and disposition

- NA 24. Time as PHC; procedures & records

**CONSUMER ADVISORY**

- NA 25. Advisory for raw/undercooked food

**HIGHLY SUSCEPTIBLE POPULATIONS**

- IN 26. Pasteurized foods used; No prohibited foods

**ADDITIVES AND TOXIC SUBSTANCES**

- IN 27. Food additives: approved & properly used
- IN 28. Toxic substances identified, stored, & used

**APPROVED PROCEDURES**

- NA 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**Good Retail Practices**

**SAFE FOOD AND WATER**

- IN 30. Pasteurized eggs used where required
- IN 31. Water & ice from approved source
- NA 32. Variance obtained for special processing

**FOOD TEMPERATURE CONTROL**

- IN 33. Proper cooling methods; adequate equipment
- IN 34. Plant food properly cooked for hot holding
- IN 35. Approved thawing methods
- IN 36. Thermometers provided & accurate

**FOOD IDENTIFICATION**

- IN 37. Food properly labeled; original container

**PREVENTION OF FOOD CONTAMINATION**

- IN 38. Insects, rodents, & animals not present
- IN 39. No Contamination (preparation, storage, display)
- IN 40. Personal cleanliness
- IN 41. Wiping cloths: properly used & stored
- IN 42. Washing fruits & vegetables

**PROPER USE OF UTENSILS**

- IN 43. In-use utensils: properly stored
- IN 44. Equipment & linens: stored, dried, & handled
- IN 45. Single-use/single-service articles: stored & used

- NA 46. Slash resistant/cloth gloves used properly

**UTENSILS, EQUIPMENT AND VENDING**

- OUT 47. Food & non-food contact surfaces
- IN 48. Ware washing: installed, maintained, & used; test strips
- IN 49. Non-food contact surfaces clean

**PHYSICAL FACILITIES**

- IN 50. Hot & cold water available; adequate pressure
- IN 51. Plumbing installed; proper backflow devices
- IN 52. Sewage & waste water properly disposed
- IN 53. Toilet facilities: supplied, & cleaned
- IN 54. Garbage & refuse disposal
- OUT 55. Facilities installed, maintained, & clean (**R**)
- IN 56. Ventilation & lighting
- IN 57. Permit; Fees; Application; Plans

*This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.*

**Violations Comments**

Violation #47. Food & non-food contact surfaces  
Extensive ice buildup in milk chest.

CODE REFERENCE: 64E-11.003(4). Equipment and utensils must be properly designed, constructed, and in good repair.

Violation #55. Facilities installed, maintained, & clean  
Observed small hole in floor of walk in refrigerator.

CODE REFERENCE: 64E-11.003(5). Floors, walls, and ceilings shall be smooth, durable, easily cleanable, and non-absorbent. Exterior areas shall be kept cleaned.

Inspector Signature:

*Ca*

Client Signature:

*[Signature]*

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



General Comments

Employee Training: 03/16/2023  
QA Levels: 200 PPM (Three Compartment Sink & Sanitizer Buckets)

Food Temps:  
Ground Beef: 158 F (Serving Line)  
Milk: 35 F (Milk Chest)  
Yogurt: 37 F (Walk In)

Cooling Units:  
Walk In: 35 F  
Walk In Freezer: 0 F  
Reach In: 35 F  
Reach In Freezer: -5 F  
Milk Chest: 30 F

Sink Temps:  
Handsink: 126 F  
Three Compartment Sink: 138 F  
Mop Sink: 115 F  
Employee Bathroom Men: 106 F  
Employee Bathroom Women: 107 F

Email Address(es): Monique.McShan@browardschools.com

Inspection Conducted By: Jonathan Alvear (27146)  
Inspector Contact Number: Work: (954) 412-7222 ex.  
Print Client Name: Monique McShan  
Date: 4/4/2023

Inspector Signature:

Client Signature: