

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Facility Information

RESULT: Satisfactory

Permit Number: 06-48-00708
Name of Facility: Silver Ridge Elem School
Address: 9100 SW 36 Street
City, Zip: Davie 33328

Type: School (9 months or less)
Owner: Broward County School Board - Food & Nutrition Services
Person In Charge: Kathleen Joyce Phone: (754) 321-0215
PIC Email: Kathleen.Joyce@browardschools.com

Inspection Information

Purpose: Routine
Inspection Date: 10/25/2022
Correct By: Next Inspection
Re-Inspection Date: None

Number of Risk Factors (Items 1-29): 0
Number of Repeat Violations (1-57 R): 0
Facility Grade: N/A
Stop Sale: No

Begin Time: 08:45 AM
End Time: 09:12 AM

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN** 1. Demonstration of Knowledge/Training
- NA** 2. Certified Manager/Person in charge present

EMPLOYEE HEALTH

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

GOOD HYGIENIC PRACTICES

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

PREVENTING CONTAMINATION BY HANDS

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- IN** 10. Handwashing sinks, accessible & supplies

APPROVED SOURCE

- IN** 11. Food obtained from approved source
- NO** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

PROTECTION FROM CONTAMINATION

- IN** 15. Food separated & protected; Single-use gloves

- IN** 16. Food-contact surfaces; cleaned & sanitized

- NO** 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- NO** 18. Cooking time & temperatures
- IN** 19. Reheating procedures for hot holding
- NO** 20. Cooling time and temperature
- NO** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition
- NA** 24. Time as PHC; procedures & records

CONSUMER ADVISORY

- NA** 25. Advisory for raw/undercooked food

HIGHLY SUSCEPTIBLE POPULATIONS

- IN** 26. Pasteurized foods used; No prohibited foods

ADDITIVES AND TOXIC SUBSTANCES

- NA** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

APPROVED PROCEDURES

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT**



Good Retail Practices

| | |
|---|--|
| SAFE FOOD AND WATER | |
| <u>NO</u> 30. Pasteurized eggs used where required | <u>NO</u> 46. Slash resistant/cloth gloves used properly |
| <u>IN</u> 31. Water & ice from approved source | UTENSILS, EQUIPMENT AND VENDING |
| <u>NA</u> 32. Variance obtained for special processing | <u>IN</u> 47. Food & non-food contact surfaces |
| FOOD TEMPERATURE CONTROL | <u>IN</u> 48. Ware washing: installed, maintained, & used; test strips |
| <u>NO</u> 33. Proper cooling methods; adequate equipment | <u>IN</u> 49. Non-food contact surfaces clean |
| <u>IN</u> 34. Plant food properly cooked for hot holding | PHYSICAL FACILITIES |
| <u>IN</u> 35. Approved thawing methods | <u>IN</u> 50. Hot & cold water available; adequate pressure |
| <u>IN</u> 36. Thermometers provided & accurate | <u>IN</u> 51. Plumbing installed; proper backflow devices |
| FOOD IDENTIFICATION | <u>IN</u> 52. Sewage & waste water properly disposed |
| <u>IN</u> 37. Food properly labeled; original container | <u>IN</u> 53. Toilet facilities: supplied, & cleaned |
| PREVENTION OF FOOD CONTAMINATION | <u>OUT</u> 54. Garbage & refuse disposal |
| <u>IN</u> 38. Insects, rodents, & animals not present | <u>IN</u> 55. Facilities installed, maintained, & clean |
| <u>IN</u> 39. No Contamination (preparation, storage, display) | <u>OUT</u> 56. Ventilation & lighting |
| <u>IN</u> 40. Personal cleanliness | <u>IN</u> 57. Permit; Fees; Application; Plans |
| <u>IN</u> 41. Wiping cloths: properly used & stored | |
| <u>NO</u> 42. Washing fruits & vegetables | |
| PROPER USE OF UTENSILS | |
| <u>IN</u> 43. In-use utensils: properly stored | |
| <u>IN</u> 44. Equipment & linens: stored, dried, & handled | |
| <u>IN</u> 45. Single-use/single-service articles: stored & used | |

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

| |
|--|
| <p>Violation #54. Garbage & refuse disposal Dumpster drain plug missing, wastewater draining out of dumpster. CODE REFERENCE: 64E-11.003(5). Garbage shall be disposed of to prevent vector harborage. Trash cans will be durable, cleanable, leak proof, insect and rodent resistant, and non-absorbent. Outside storage area shall be of a smooth, non-absorbent material and sloped to a drain.</p> |
| <p>Violation #56. Ventilation & lighting Observed one light in disrepair in dry storage. CODE REFERENCE: 64E-11.003(6)(a). Adequate exhaust ventilation hood systems in food prep and warewashing areas shall be provided and designed. 50 foot candles shall be at surfaces where employees work with food and 20 foot candles shall be at surfaces where food is provided to consumers.</p> |

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



General Comments

Result: Satisfactory

Sanitizer:
QAC (3 comp. sink): 400ppm

Temperatures:
Handsink: 101F
Prepsink: 102F
Restroom: 101F
Reach-in fridge x 2: 36-37F
Tomato(reach-in fridge 1): 34F
Dressing (reach-in fridge 2): 32F
Walk-in fridge: 33F
Walk-in freezer:-10F
Carrot(walk-in fridge): 38F
Ice cream freezer : -1F
Milk (serving line): 33F

Employee Food Safety Training completed 8/15/22

1 Thermometers calibrated at: 33F

Email Address(es): Kathleen.Joyce@browardschools.com

Inspection Conducted By: Christian Sapovits (6608)
Inspector Contact Number: Work: (954) 412-7328 ex.
Print Client Name:
Date: 10/25/2022

Inspector Signature:

Client Signature:

Form Number: DH 4023 03/18

06-48-00708 Silver Ridge Elem School